

## Anti-Taf10p antibody

Immuned Animal: Rabbit

Polyclonal antiserum

62-015      50  $\mu$ l,      62-016      250  $\mu$ l

The basal transcription factor TFIID plays a central role in the regulation of gene expression in Eukaryota and is a large protein complex composed of TATA box-binding protein (TBP) and 14 kinds of TBP-associated factors (TAF). TFIID directly recognizes and binds to different kinds of core promoter elements that localize near the transcription initiation site and forms a scaffold for the other basal transcription factors to assemble. At the same time, it transmits transcriptional activation signal originating from transcription regulating factors to RNA polymerase II. Taf10p is one of the subunits of TFIID and in the case of budding yeast, it is composed of 206 amino acid residues (aa). Taf10p is also a subunit of histoneacetylase complex SAGA which is said to have an overlapping function with TFIID. This protein contains histone folds in its interior and forms dimers with Taf3p and Taf8p each.

The product is prepared by immunizing rabbit with recombinant protein which was over-expressed in *E. coli* with a plasmid carrying the entire Taf10p protein (1-206aa) of budding yeast, and purified by chromatography.

Using this antiserum in Western blotting, the band of 25 kD corresponding to Taf10p was obtained from the extract of yeast cells (Fig. 1).

### Applications

- 1) It can be used in Western blotting or ELISA for the detection and titration of budding yeast Taf10p.

### Specifications


Form: 0.1% sodium azide added to the antiserum.

Storage: 4°C

Fig. 1 Detection of Taf10p by Western blotting using the Taf10p antibody.

Lane 1, Extract of budding yeast.

The antiserum was diluted 5000 fold before use.



<Distributed by >: SCETI K.K. DF Kasumigaseki Place, 3-6-7 Kasumigaseki,  
Chiyoda-ku Tokyo 100-0013 JAPAN  
Tel: +81-3-5510-2347 Fax: +81-3-5510-0134  
E-mail: [exp-pet@sceti.co.jp](mailto:exp-pet@sceti.co.jp) URL: [www.sceti.co.jp/export/](http://www.sceti.co.jp/export/)

<Manufactured by > : BioAcademia, Inc. 7-7-18 Saito-Asagi, Ibaraki, Osaka 567-0085, JAPAN