

Anti human AR mouse monoclonal antibody

AR: Androgen Receptor

Code No	PP-H7507-00 old No. 2ZH7507H
Clone No.	H7507
Lot.	A-2
Concentration	1 mg/mL
Volume	100 uL
Ig Class	G2a

Description Androgen receptor (AR; NR3C4) is a member of steroid receptor (ER, GR, MR, PR). 5 α -dihydrotestosterone can bind to the AR as a ligand. AR is expressed in most tissues. AR is associated with at least three types of diseases: X-linked androgen insensitivity, spinal/bulbar muscular atrophy and cancer. In presence of its ligand, AR binds as a homodimer to sequence called ARE (androgen response element). AR has been shown to be able to form heterodimers with GR. Two isoforms of AR were identified in human genital skin fibroblasts. The large isoform of 110 kDa (called AR-B) corresponds to the bona fide receptor, whereas the small one of 87 kDa (AR-A) initiate on an internal initiation codon.

Nomenclature NR3C4

Genbank M20132

Origin Produced in BALB/c mouse ascites after inoculation with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant human AR (2-53 aa).

Specificity This antibody specifically recognizes human AR and cross reacts with mouse and rat AR.

Purification Ammonium sulfate fractionation

Formulation Physiological saline with 0.1% NaN₃ as a preservative.

Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot 1 ug/mL

Non reducing Western Blot Not yet tested

ELISA 0.3 ug/mL (A450=0.2)

Immunoprecipitation Decide by use

Supershift Assay Not yet tested

Chromatin immunoprecipitation Not yet tested

Immunohistochemistry 1-10 ug/mL



Rat
Prostate gland
paraffin section



Human
Prostate gland
paraffin section

Storage Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Reference

Notes Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.

Not for Diagnostic or Therapeutic use. Purchase of this product does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written consent of Perseus Proteomics Inc. is prohibited.

MADE IN JAPAN

Apr 17, 2008

Distributed by

SCETI SCETI K.K.

3-6-7 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013, Japan
Tel +81(3) 5510-2347 Fax +81(3) 5510-0133
URL: <http://www.sceti.co.jp/export/> e-mail: exp-pet@sceti.co.jp

Manufactured by

PPMX PERSEUS PROTEOMICS Perseus Proteomics Inc.

4-7-6 Komaba, Meguro-ku, Tokyo 153-0041, Japan
URL: <http://www.ppmx.com>