



PENINSULA LABORATORIES, LLC

A Member of the Bachem Group

305 Old County Road, San Carlos, CA 94070

Tel: (800) 922-1516 • (650) 592-5392

Fax: (650) 595-4071

www.bachem.com

Cat. No. T-4050

Rabbit anti-Endothelin-1 (human, bovine, dog, mouse, porcine, rat)

Specifications:

- Preparation:** This polyclonal antibody was collected from rabbits immunized with a synthetic peptide as the immunogen.
- Amount:** Each vial contains 50 ul of whole serum in lyophilized form. Reconstitute with 50 ul of distilled water for the equivalent of undiluted antiserum.
- Storage:** This antibody is supplied as a lyophilized powder. Store at 2° to 8°C upon receipt. For long-term storage, store lyophilized powder at -20°C. Once reconstituted, the materials should be stored frozen in aliquot at -20°C to -70°C. **Avoid repeated freeze/thaw cycles.**
- Applications:** Immunohistochemistry, Immunocytochemistry, and other applications.
- Sample Types:** The antibody can react with a variety of sample preparation including frozen tissue sections, paraffin embedded tissue sections and fixed cell cultures.

Recommended starting dilution for Immunohistochemical staining:

Immunofluorescence: 1:250 to 1:16000

PAP or ABC: 1:250 to 1:16000

LAB-SA: 1:250 to 1:16000

It is advised for each laboratory to determine optimal dilutions for a specific application.

Cross Reaction:

Peptide	%
Endothelin-1 (human, bovine, canine, mouse, porcine, rat)	100
Endothelin-2 (human)	91
Endothelin-3 (rat, human)	0.05
Big Endothelin-1 (porcine)	100
Big Endothelin-1 (human)	76
Big Endothelin-1 (22-38) (human)	0
VIC (Endothelin-Beta) (mouse)	<0.01
ANF (1-28) (human)	<0.01
BNP-32 (human)	0
Angiotensin II	0
Arg ⁸ -Vasopressin	0
VIP	0

Cross-Reactivity data is taken from Radioimmunoassay applications