



PENINSULA LABORATORIES, LLC

A Member of the Bachem Group

305 Old County Road, San Carlos, CA 94070

Tel: (800) 922-1516 • (650) 592-5392

Fax: (650) 595-4071

www.bachem.com

Cat. No. T-5021

Guinea Pig anti-Oxytocin

Specifications:

- Preparation:** This polyclonal antibody was collected from guinea pigs immunized with a synthetic peptide as the immunogen.
- Amount:** Each vial contains 50 ul of whole serum in lyophilized form. Reconstitute with 50 ul of distilled water for the equivalent of undiluted antiserum.
- Storage:** This antibody is supplied as a lyophilized powder. Store at 2°C to 8°C upon receipt. For long-term storage, store lyophilized powder at -20°C. Once reconstituted, the materials should be stored frozen in aliquots at -20°C to -70°C. **Avoid repeated freeze/thaw cycles.**
- Applications:** Immunohistochemistry, Immunocytochemistry, and other applications.
- Sample Types:** The antibody can react with a variety of sample preparation including frozen tissue sections, paraffin embedded tissue sections and fixed cell cultures.

Recommended starting dilution for Immunohistochemical staining:

Immunofluorescence: 1:250 to 1:16000

PAP or ABC: 1:250 to 1:16000

LAB-SA: 1:250 to 1:16000

It is advised for each laboratory to determine optimal dilutions for a specific application.

Cross Reaction:

Peptide	%
Oxytocin	100
(Arg ⁸)-Vasopressin	0
(Lys ⁸)-Vasopressin	0
Human Growth Hormone	0
LH-RH	0
CRF	0
Met-Enkephalin	0
PACAP 27-NH ₂ (rat, ovine, human)	0
VIP	0

Cross-Reactivity data is taken from Radioimmunoassay applications