

## **Anti Secretin (Human) Serum**

**Cat. No. Y030**

**Lot No. 013271012**

**Description:** This antiserum was raised in a rabbit by immunization with a carrier free synthetic secretin (human) peptide. The product vial contains 50  $\mu$ L of the titled antiserum obtained by lyophilizing its 0.001 M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immuno-reaction with secretin (human).

**Immunogen:** Synthetic secretin (human), carrier free

**Host:** Rabbit

**Amino Acid Sequence of Secretin (human)<sup>1)</sup>:** HSDGTFTSEL SRLREGARLQ RLLQGLV-NH<sub>2</sub>

**Product Form:** Lyophilized unpurified serum

**Size:** 50  $\mu$ L

**Reconstitution:** Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN<sub>3</sub> 0.1%).

**Storage:** The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstitution, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

**Suggested Working Dilution Range:** 1:500-2,000 (final dilution ~1:14,000) for radioimmunoassay; 1: 1,000-4,000 for immunohistochemistry (frozen or paraffin sections). Optimal dilution should be determined by each laboratory for each application.

**Specificity** (based on radioimmunoassay): Secretin (human) 100%, secretin (porcine) 92%, secretin (chicken) < 0.01%, VIP (porcine) < 0.01%

**Positive Control** (immunohistochemistry): Rat duodenum

**Species Tested:** Rat, human, monkey<sup>2)</sup>

### **REFERENCES:**

- 1) M. Carlquist, H. Joernvallet al., Human secretin is not identical to the porcine/bovine hormone. IRCS Medical Science 13:217-218, 1985
- 2) M. Anlauf, E. Weihe et al., Localization of Xenin-immunoreactive cells in the duodenal mucosa of humans and various mammals. Journal of Histochemistry and Cytochemistry 48: 1617-1626, 2000

FOR RESEARCH USE ONLY

<Distributed by>

SCETI K.K.

DF Kasumigaseki Place, 3-6-7 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013 Japan

URL: <http://www.sceti.co.jp/export/> e-mail: [exp-pet@sceti.co.jp](mailto:exp-pet@sceti.co.jp)

<Manufacturer>

Yanaihara Institute Inc.

2480-1 Awakura, Fujinomiya-shi, Shizuoka 418-0011 JAPAN