

Anti Siah1 Polyclonal Antibody

The turnover of a protein is precisely under control in the cell. Particularly, the system of controlling protein degradation via the ubiquitin-proteasome pathway is involving in many kinds of process in the cell. The *Drosophila Seven in absentina* (Sina) gene product originally was identified as a protein that controls cell fate decisions during eye development. Its mammalian homolog, Siah1 and Siah2, have been described that they might involve in ubiquitin-mediated proteolysis of several proteins, as well as in growth arrest and p53-induced apoptosis.

This antibody is very useful for identifying the function of the mammalian Siah1 in the cell.

Package Size	25 μ g (100 μ L/vial)
Format	Rabbit polyclonal antibody 0.25mg/mL
Buffer	Block Ace as a stabilizer, containing 0.1%Proclin as bacteriostat
Storage	Below -20°C Once thawed, store at 4°C . Repeated freeze-thaw cycles should be avoided.
Purification method	This antibody was purified from rabbit serum by affinity chromatography.
Working dilution	Western Blotting: 0.8 μ g/mL

① ②



Western Blotting

Sample: 293 cell lysate

- 1) control
- 2) Siah1 gene transgenic cell + MG-132 (protease inhibitor)

Preparation of antibodies and instruction

Dr.Koki Moriyoshi at Department of Biological Sciences,
Kyoto University Faculty of Medicine

Anti Siah1 Polyclonal Antibody

【Reference】

1. Development; 117, p1333-1343 (1993)
2. Genes Development; 11, p2701-2714 (1997)
3. Molecular Cell Biol.; 7, p915-926 (2001)
4. Molecular Cell Biol.; 7, p927-936 (2001)
5. Nature Struct. Biol.; 9, p68-75 (2002)

Supplier

SCETI
SCETI K.K.

3-6-7 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013, JAPAN
Tel +81(3) 5510-2347 Fax +81(3) 5510-0133
URL: <http://www.sceti.jp/export/> e-mail: exp-pet@sceti.co.jp